

IFW



Docket No. MIT5021

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Lisa Donnelly et al. Confirmation No.: 1928  
Appln. No. : 10/673,737  
Filed : September 29, 2003  
Title : METHOD OF PERFORMING ANTERIOR CRUCIATE LIGAMENT  
RECONSTRUCTION USING BIODEGRADABLE INTERFERENCE SCREW  
Art Unit : 3733  
Examiner : David C. Comstock

I hereby certify that this correspondence is being deposited with the  
United States Postal Service as first class mail in an envelope addressed  
to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

November 30, 2006

(Date of Deposit)

E. Richard Skula

(Name of applicant, assignee, or Registered Representative)

/E. Richard Skula, Reg. No. 31,061/

(Signature)

November 30, 2006

(Date of Signature)

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

TRANSMITTAL OF CORRECTED DRAWINGS

Dear Sir:

This is in response to the Office Action of October 23, 2006. In that Office Action the Examiner noted that corrected drawings were required.

Applicants have enclosed herewith corrected drawings in accordance with the Examiner's requirements.

Respectfully submitted,

LISA DONNELLY ET AL.

By: /E. Richard Skula, Reg. No. 31,061/  
E. Richard Skula  
Attorney for Applicants  
Reg. No. 31,061

Enclosure: Corrected Drawings

Johnson & Johnson  
One Johnson & Johnson Plaza  
New Brunswick, NJ 08933-7003  
(732) 524-2718  
Dated: November 30, 2006  
Docket No. MIT5021